ANTARI Z-350 FAZER

Air pump technology enables this unit to generate a dry haze and provides its heater with self-cleaning functionality. It comes with a larger diameter tube which substantially reduces the risk of heater clog. An extremely low fluid consumption rate allows a full tank to produce 430 minutes of non-stop hazing at maximum output. New on-board DMX design allows users to have control from their console without needing to add additional modules.

ITEM	DESCRIPTION	PRICE
Z-350	Fazer, 1.3-liter tank, on-board DMX	399.99
FLG-4	Heavy fog liquid, 5 liters, non-toxic	33.68

ANTARI HZ-350 HAZE MACHINE

An innovative LCD control panel is now built into the machine, so you can master this classic haze machine with minimal effort. The digital LCD control system allows users to set the timer and DMX address directly and accurately, just by moving their fingertips. A wireless on/off control is another useful feature for users who need to execute the output timing manually. Optional HC-1 timer remote also available.

ITEM	DESCRIPTION	PRICE
HZ-350	Haze machine with wireless transmitter	799.99
HZL-1	1-liter bottle haze liquid	16.13
HC-1	Optional timer remote	40.43

ANTARI HZ-400 PRO HAZER

The HZ-400 produces safe, dry, clean, and almost invisible haze that enhances the beams from any projected light, especially laser equipment. It has an internal, maintenance-free air compressor, a haze transfer mechanism, two haze nozzles and a specially-designed liquid tank. An added on-board DMX lets users control the unit with any DMX 512. HC-1 timer remote included.

ITEM	DESCRIPTION	PRICE
HZ-400	Pro Hazer, 2.5-liter tank, HC-1 timer remote included	1369.99
HCR-1	Wireless remote	40.43

ANTARI HZ-500 TOURING CLASS HAZER

This silent-operating on-stage hazer works perfectly with lighting and laser beams to produce the best atmospheric effects for any event. Its low liquid consumption rate makes it energy-efficient and more environmentally-friendly.

ITEM	DESCRIPTION	PRICE
HZ-500	Touring class hazer, 2.5-liter tank, on board DMX	1789.99
HZL-1	Non-toxic haze liquid (1 liter)	16.13

ANTARI DNG-200 LOW FOG MACHINE

Offers a complete ground fog effect solution in a self-compacted unit with wheels and handles to stand against tough transport. The fog generator is built-in to keep the solution compact. Antari's fog machines do not use carbon dioxide, and do not pollute the environment and are not harmful for human health. With its powerful compressor, 10-liter tank and efficient heat exchanger it's a true green machine. It is operator-friendly as there are no external controls to the machine. Simply plug the unit and place the 3M fog conducting hose (for remote dispersion) and operate it like a normal fog machine. Remote D-20 control module included.

ITEM	DESCRIPTION	PRICE
DNG-200	Low fog generator with control module	CALL
FLR-4	4liter bottle fog liquid	33.68
HC-1	Optional timer remote	40.43

ANTARI W-715 FOG JET

NEW!

This fog machine has a new heating system that creates a sizeable output of 20 second bursts and increases heat preservation in order to reduce reheat time. The new fluid piping system removes any remaining fluid to provide a clear burst that doesn't produce excess fog. The W-715's 2 second jet mode outputs fog quickly via the unit's LCD control panel, DMX 512 signal, or through the W-1 wireless control system.

ITEM	DESCRIPTION	PRICE
W-715X	Fog machine	849.99
FLC-4	5 liter container of water-based fluid for W-715	24.11
C-300	Cleaning solution	COMING SOON!

ANTARI W-508 FOGGER

The cutting-edge wireless control system gives Antari W series foggers a simple setting and operation interface. The state-of-the-art 800W heater design upgrades the fog quality in terms of output at 3,000 cu.ft/min and energy efficiency that produces 20% more fog than most brands. There's even a fluid sensor that stops pumping automatically if the fluid runs dry to protect the pump from burning.

ITEM	DESCRIPTION	PRICE
W-508	800W fog machine with wireless control	239.99
FLR-4	4-liter fog fluid	33.68

ANTARI B-200 HIGH OUTPUT BUBBLE MACHINE

Features 4 "Double Bubble Wheels" to create a huge, continuous flow of bubbles. The 3 fans at the back of the unit spread the bubbles far and wide. Created for lighting designers, large clubs and theatrical productions in mind, this unit comes with on-board DMX. Comes with a 2-liter fluid reservoir.

ITEM	DESCRIPTION	PRICE
B-200	Bubble machine, 2-liter tank, on-board DMX	499.99

ANTARI AF-5 EFFECTS FAN

Antari's first special effects fan has 3 speeds that can fulfill different wind effect demands. This lets fog, haze, snow, and bubble machines to bring special effects to higher and farther places onstage and in venues. The AF-5's on-board DMX control gives the fan extra versatility and user control.

ITEM	DESCRIPTION	PRICE
AF-5H	Effects fan, 1 HP, fan speed control, on-board DMX module	1199.99

ANTARI ICE-101V

Avoid the difficulty of handling dry ice or the potential health hazards caused by dry ice "smoke". 10kg of ice cubes placed in the ice chamber creates a low-lying, ground-hugging fog which can last up to 12 hours (80 minutes with continuous output). When used without ice, it produces standard fog effects. Also offers a convenient manual/automatic drainage pump, timer remote and full on-board DMX control.

ITEM	DESCRIPTION	PRICE
ICE	High-powered fogger	849.99
FLR-4	Antari FLR (light fog liquid), 4 liters	33.68

THE FOG YOU NEED
ANYTIME, ANYWHERE!

F5 FAZER

- WATER BASED HAZE SYSTEM
- QUITE OPERATION
- EXTREMELY EFFICIENT FLUID CONSUMPTION
- CONTINUOUS OPERATION
- DMX OPERATION

Z-1520RGB

- POWERFUL 1500 WATT OPERATION
- OPERATES IN ANY POSITION
- BRIGHT RGB LEDS FOR COLORED FOG EFFECT
- DMX OPERATION
- BUILT-IN WIRELESS OPERATION

DNG-200

- POWERFUL, TOURING CLASS LOW FOG EFFECT
- 40,000 CU.FT/MIN GROUND FOG OUTPUT
- DMX OPERATION
- NO CO2 OR DRY ICE FOR EASY OPERATION

HZ-500

- POWERFUL, TOURING CLASS OIL BASED CRACKLING HAZER
- EXTREMELY EFFICIENT FLUID CONSUMPTION
- QUITE OPERATION
- DMX OPERATION
- BUILT-IN ROAD CASE DESIGN

Antari FOG MACHINE

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
MUSICAL INSTRUMENTS
800-356-5844
FULLCOMPASS.COM

NEW!

AMERICAN DJ BUBBLETRON BUBBLE MACHINE

With a high velocity, high output fan, this portable, easy-to-use machine creates hundreds of bubbles per minute and accepts most types of bubble liquids. Includes a wired on/off remote with 25 ft cable and is ideal for a wide variety of small- to medium-size applications. Also features an on/off switch on the rear of the unit and a durable plastic housing.

ITEM	DESCRIPTION	PRICE
BUBBLE-TRON	Bubble machine	99.99

AMERICAN DJ FOG-STORM-1200HD HIGH OUTPUT FOG MACHINE

- 1200W high output fog machine
- Electronic heater stays hot at all times with no warm-up time between fog blasts
- 25' cable remote
- External fog control switch
- 7,000 cu. ft. per minute fog output
- Warm up time: 8 minutes
- 2.5-liter removable fog fluid tank
- Advanced cut-off system warns when fluid level is low and stops pumping when minimum level is reached

ITEM	DESCRIPTION	PRICE
FOG-STORM-1200HD	Fog machine	149.99

AMERICAN DJ DYNO-FOG II MEDIUM DUTY FOG MACHINE

- 1,000W medium duty fogger
- 4,000 cubic feet per minute output
- 10' cable with controller
- 1-quart removable fog fluid container
- Hanging bracket
- Warm-up time: 5 minutes
- Fluid Consumption Rate: 10 Minutes per Liter at 100% output

ITEM	DESCRIPTION	PRICE
DYNO-FOG-II	Medium duty fogger	99.99

APOLLO DESIGN TECHNOLOGY SMART COLOR PRO SCROLLERS

Quiet operation, local or remote fan speed control and pre-installed Gel Shield are still standard, but the Pro Series adds a larger, rectangular front aperture which provides 10% more light throughput. Also new to the Pro Series are standard 18 color frames, 18% lighter weight and 25% lower power consumption. All models feature universal or adjustable mounting tabs, push button menu with LED display, 4-pin XLR in/out ports for daisy chaining and front-load gel strings. Other standard features include state-of-the-art digital circuitry with rotary DMX addressing, an automatic scrolling mode to continuously scroll or frame-by-frame step through each color at various speeds, and remote fan control.

ITEM	DESCRIPTION	PRICE
SC-SCROLL-5-PRO	For narrow beam fixtures, 5.25" apertures	459.45
SC-SCROLL-7-PRO	For all ellipsoidals and many wash fixtures, 7.25" apertures	459.45
SC-SCROLL-10-PRO	For 1000-2000W fixtures, 10" apertures	562.37

APOLLO DESIGN TECHNOLOGY MXR COLOR SCROLLER

A new twist on 2-string color mixing using subtractive color mixing to achieve desired hue and saturation. MXR's innovative color selection and frame sequence maximize useful colors. Its direct-drive, 4-motor system provides quiet and smooth color transition with low power consumption.Includes universal mounting plate.

ITEM	DESCRIPTION	PRICE
AC-SCROLL-MXR	MXR color mixer	789.87

APOLLO DESIGN TECHNOLOGY RIGHT ARM®

Adds 300° pan and 270° tilt capabilities to a wide range of static theatrical and studio lighting fixtures. Video cameras or projectors can be added to a lighting rig with minimal prep. Features 2-point integral balancing system for the use of front- or rear-heavy fixtures without counterweights or fixture modification. It offers a wide range of adjustment for fixture heights and widths without removing shutters or existing yokes. Also features user-defined pan and tilt range, an LCD screen, a 5-pin output, and a 4-pin output. Optional half coupler kit contains hardware for mounting your device to a pipe or truss.

ITEM	DESCRIPTION	PRICE
AC-RIGHT-ARM-3	Pan and tilt arm for static light fixtures, 40 lb. capacity	1082.57
AC-RA-COUPLER	Right Arm half coupler kit	64.68

APOLLO DESIGN TECHNOLOGY SMART MOVE® ROTATOR

Holds 1 or 2 'B'-size round gobos, secured by a heavy-duty retaining ring. Made of machined aluminum, the retaining ring is secured in place by 2 spring clips for easy adjustment and replacement. It is belt-driven for quiet operation and powered by a rugged 24V power supply (included). The rotator's black powder coat 18-gauge steel provides rigidity and durability. Variable speed range from 0 to 21 RPM plus rotary switches for easy setting to desired effect.

ITEM	DESCRIPTION	PRICE
SM-MOVE-000	Smart Move Rotator	364.10
SM-MOVE-DMX	DMX controlled version	465.00
AC-SP-75W	Power supply for DMX version	133.28

APOLLO DESIGN TECHNOLOGY SMART MOVE® VERTICAL

The Vertical features motion, time, and speed presets that create vertical movement of patterns or text. It can have 2 individual images on 1 gobo, allowing 1 image at a time to be placed in the focal path of the fixture. Additional effects can be created by placing another gobo in the fixture's gobo slot. Engineered for quiet, reliable operation and easy change out, the Smart Move Vertical holds 1 metal, 1 B/W, or 1 color glass gobo. It has variable vertical travel of 1/4" to 1 1/2", variable dwell time, and 17 pre-programmed effects.

ITEM	DESCRIPTION	PRICE
SM-MOVE-VRT	Smart Move Vertical	364.10
SM-MOVE-VRT-DMX	DMX controlled version	465.00
AC-SP-75W	Power supply for DMX version	133.28

APOLLO DESIGN TECHNOLOGY POWER SUPPLIES

Smart Power™ power supplies provide 24VDC to lighting accessories as well as control of indexing devices with a DMX signal.

- Smart Power 75W powers up to 1 MXR color mixer, 2 Smart Color scrollers, 5 Smart Move rotators, or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out
- Smart Power 200W powers up to 8 Smart Color PROs, 6 Smart Colors, 13 Smart Moves, 13 EZ Irises or 5 MXRs, or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (4) 4-pin XLR out, (4) 4-pin XLR returns
- Smart Power 400W powers up to 16 Smart Color PROs, 12 Smart Colors, 26 Smart Moves, 26 EZ Irises, 10 MXRs or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (2) 4-pin XLR out, (2) 4-pin XLR returns
- Smart Power 600W powers up to 24 Smart Color PROS, 18 Smart Colors, 40 Smart Moves, 40 EZ Irises, 15 MXRs or a combination of these, (1) DMX 5-pin in, (1) DMX 5-pin out, (6) 4-pin XLR out, (6) 4-pin XLR returns

ITEM	DESCRIPTION	PRICE
AC-SP-75W	Smart Power 75W power supply	133.28
AC-SP-200W	Smart Power 200W power supply	552.66
AC-SP-400W	Smart Power 400W power supply	771.82
AC-SP-600W	Smart Power 600W power supply	1010.73

Smart Color® PRO

Create beautiful colors
on a robust scroller with
a quiet smooth operation.

For more information on all Apollo lighting solutions, contact your Full Compass sales representative today!

Right Arm®

Make precise, smooth, and quiet
pan/tilt movements with static devices.

FULL COMPASS
PRO AUDIO | VIDEO | AV | LIGHTING
MUSICAL INSTRUMENTS
800-356-5844
FULLCOMPASS.COM

APOLLO
DESIGN TECHNOLOGY, INC.

Martin

MARTIN PROFESSIONAL JEM COMPACT HAZER PRO Robust, small and lightweight this versatile haze machine is designed for the highly demanding professional market. Its ability to produce exceptional atmospheric haze effects in a short period of time (1-minute heat up time) while operating at low noise levels make it ideal for nearly any application from shows and events to theatre, TV studios, clubs, cruise ships, theme parks and more. Simple to use with on-board DMX 5-pin and ODTC system.

ITEM	DESCRIPTION	PRICE
JEM-COMPACT	Hazer, 2.5-liter, on-board DMX 5-pin	1202.63
C-PLUS-FLUID	4x2.5L fluid	43.55

MARTIN MAGNUM 2500HZ HAZE MACHINE The Magnum 2500HZ is a plug-and-play, easy-to-use hazer suitable for DJs, smaller venues, bars, and clubs. With a large fluid container and optional DMX, this hazer is ideal for installations.

- Continuous output with output and density level control
- Timer and output level remote control
- Integrated fan
- 900W heat exchanger
- 3.8-liter fluid capacity
- Fluid-out sensing

ITEM	DESCRIPTION	PRICE
MAGNUM-2500-HAZER	Haze machine	671.52
91612011	Optional DMX interface	105.56

MARTIN MAGNUM-1800 The Magnum 1800 is a high-powered fogger suitable for any installation – from the largest to the smallest. Highly flexible, the 1800 is built sleek and rugged. Supplied with a timer remote control and featuring the same machine-saving overheat protection as Martin's larger machines.

- Onboard DMX
- Continuous output
- 580 m³/min fog output
- 9 minute heat-up time
- Optional flying kit
- 3.8-liter fluid capacity
- Different fluid options for different applicati
- 1150 W (240V) / 1000W (110V) heat exchanger

ITEM	DESCRIPTION	PRICE
MAGNUM-1800	High-powered fogger	557.03
DJ-FLUID-5L	Regular DJ fluid	22.62
PROSMOKE-SUPER-5L	Pro Smoke Super (ZR Mix) fluid	25.23

rosco

ROSCO IPRO IMAGE PROJECTOR™

The iPro Image Projector™ projects images created from simple plastic slides. These iPro Slide cartridges are then attched to the back plate of the iPro and inserted it into the iris slot of any one of several common luminaires. Even at 100% intensity, the iPro Slide will last from 15-50 hours with no fading or degradation. Choose any image from the Rosco iPro Slide Library (over 400 designs in 14 categories) or order a custom iPro Slide from your design. For last minute changes, an iPro Slide Kit is also available with easy instructions to design and print slides on-site.

ITEM	DESCRIPTION	PRICE
IMAGE-PRO-PROJECTOR	Image projector	304.93
HYBRID-TWO-FER	Power supply, allows you to connect the iPro and your light fixture into the same dimmer	53.57
IPRO-SLIDE-KIT	1-time slide kit which includes the slide mount and protective film to make an iPro slide with transparency film (not included) and your own printer	29.98
IPRO-SLIDE-LIBRARY	More than 400 images that can be made into an iPro slide, 24 hour turnaround	40.46
IPRO-CUSTOM-SLIDE	Turn your design into an iPro slide, 24 hour turnaround	40.46

rosco

ROSCO MODEL 1700 FOG MACHINE An affordable, professional fog machine for production people in theatre, clubs, discos or anywhere a controlled fog effect is needed. The Model 1700 includes a volume control on the remote that is standard equipment allowing the user to dial up the exact amount of fog needed for each effect. Also included are on/off timers for automatic initiation and cessation of a fog effect. Up to four Model 1700 machines can be daisy chained from a single remote. Useful in venues where more than one machine is required to fill the space with fog or smoke. An optional DMX interface is available so this unit can be fully controlled from a lighting control board. The remote control can be stored in the machine and comes with a 15-foot cable. Extension cables for extending the remote 50 or 100 feet are also available. The machine will hold either a 2.5- or 4-liter container of fluid and will use any Rosco fog fluid.

ITEM	DESCRIPTION	PRICE
1700-FOGGER	Fog machine, 120V with timed remote	721.88
1700-FOGGER-CASE	Model 1700 carrying case	444.08
1700-REMOTE-CABLE-50	50' remote extension	66.61
1700-REMOTE-DMX	Model 1700 DMX Remote	220.31

ROSCO ALPHA 900 FOG MACHINE The Alpha 900 is a low cost, high output fog machine. It weighs less than 12 pounds, but produces a large volume of fog from its 1000 watt heater. Includes a handheld remote control with 30' cable.

ITEM	DESCRIPTION	PRICE
ALPHA-900	Alpha 900 fog machine	433.13

ROSCO I-CUE INTELLIGENT MIRROR An intelligent mirror accessory designed to allow users of ellipsoidal spotlights to achieve many of the moving light effects traditionally available with automated fixtures. The unit is controlled via DMX 512 in 8-bit or 16-bit resolution. The moving mirror head offers smooth pan and tilt, as well as quick response re-positioning. The Rosco I-Cue ships ready to fit ETC Source Four, Altman Shakespeare, Strand SL, Selecon Pacific or any other light fixture with a 6.25" gel slot.

ITEM	DESCRIPTION	PRICE
I-CUE	Intelligent mirror	718.33
PSU-50	I-CUE power supply	140.98

ROSCO BELT DRIVE ROTATORS Belt Drive FX units are designed for applications including theater, television and long running installations. They feature high-temperature silicon belts that are virtually silent at all speeds. The Belt Drives are versatile, fitting steel, litho glass or effect glass gobos. Also featured are reliable stepper motors for smooth drive even at the slowest speed.



ITEM	DESCRIPTION	PRICE
SIMPLE-SPIN	Dual gobo rotator, single motor	353.85
REVO	Dual indexing rotator, two variable speed motors	443.42
REVO-PRO	Dual programmable rotator, DMX or stand-alone	532.99

Let us show you exactly what to expect with our lighting design computer modeling and pre-visualization.